

The Influence of UV Light on Rheological Properties of Collagen Extracted from Silver Carp Skin

Alina Sionkowska ^{1,*}, Katarzyna Lewandowska ¹ and Katarzyna Adamiak ^{1,2}

¹ Department of Biomaterials and Cosmetics Chemistry, Faculty of Chemistry, Nicolaus Copernicus

University in Torun, Gagarin 7 street, 87-100 Torun, Poland

Abstract: Acid soluble collagen (ASC) was extracted from Silver Carp fish skin. Collagen was dissolved in acetic acid at varying concentrations and its rheological properties were studied. Steady shear flow properties of collagen solutions at concentrations of 5 and 10 mg/mL were characterized using rheometry at 20 °C. Collagen solutions were irradiated with UV light (wavelength 254 nm) for up to 2 h and rheological properties were measured. All the collagen solutions showed a shear-thinning flow behavior. A constant viscosity region was observed after 1 h of UV irradiation, which showed that collagen molecules were fully denatured. A short treatment with collagen solution by UV (ultraviolet) light led to an increase in viscosity; however, the denaturation temperature of UV-irradiated collagen decreased. Depending on the time of UV treatment, collagen extracted from Silver Carp fish skin may undergo physical crosslinking or photodegradation. Physically crosslinked collagen may find applications in functional food, cosmetic, biomedical, and pharmaceutical industries.

Keywords: collagen; fish skin; Silver Carp; rheology; UV irradiation

1. Introduction

Collagen is a widely used material in the cosmetics, biomedicine, and food industries. However, native collagen is sensitive to high temperatures and UV treatment. UV irradiation of collagen molecules leads to several photochemical reactions [1–11]. Under UV irradiation of collagen, conformational changes were observed in collagen extracted from rat tail tendon [3–8]. The UV treatment of the collagen materials may influence the mechanical properties of the final collagen products [8–10]. Although there are some interesting studies regarding collagen alterations by UV irradiation, the molecular mechanisms behind the influence of UV light on collagen are still unknown. It has been shown that aromatic amino acids play the main role in the absorption of UV light by collagen molecules [11]. After absorption of UV light, a photochemical process in collagen may occur. It should be emphasized that the photochemical behavior of collagen may differ depending on the collagen origin and type, because the content of aromatic amino acids (phenylalanine and tyrosine) in the biopolymer chain may be different [12]. The whole collagen family encompasses 29 genetically distinct collagen types. The major ones involve type I (found in skin, tendon, and bone tissues), type II (cartilage), and type III (skin and vasculature) collagen [13–15]. In food and cosmetic applications, type I collagen is prevalently used. In food, mainly denatured collagen known as gelatin finds its use because it is much cheaper than native collagen [16].

Collagen has been traditionally isolated from land-based animal skins, e.g., cow and pig skin. For scientific research, mainly rat tail tendon collagen is employed because its denaturation temperature is around 40 °C [6]. Non-denatured collagen finds applications in cosmetics, biomedical,

and pharmaceutical industries [12,16]. Denatured collagen, however, known as gelatin, is used not only in food but also in pharmaceutical and biomedical products [17].

As it was said before, collagen can be obtained from several animal tissues. Bovine collagen has been widely applied; however, its employment is burdened with the risk of bovine spongiform encephalopathy (BSE) and transmissible spongiform encephalopathy (TSE) development. Scientists are looking for safer alternatives, resources different from mammalian tissues—for example, collagen extracted from marine sources (fish skin and scales, marine sponges, or jellyfish umbrella). In the case of cosmetic creams containing collagen obtained from the marine sponge and those containing mammalian collagen, when comparing their impact on skin, it can be noticed that their effects on the skin pH, moisture, and sebum are comparable. This means that in cosmetic preparations, mammalian collagen can be successfully replaced with marine sponge collagen. The potential of marine collagen was discovered approximately 70 years ago and, from this time, research has contributed to learning about the structural and physicochemical features of many marine origin collagens. However, it is worth mentioning that collagen properties may vary depending on the fish species. Fish collagen is commonly applied in food production and can replace mammalian collagen; however, its low denaturation temperature is usually its main disadvantage. The low denaturation temperature of fish collagen is a result of the significantly lower content of hydroxyproline in the polypeptide chain of fish collagen than in the chain of mammalian collagen. Collagen extracted from Silver Carp skin has attracted much attention in recent years due to its relatively high denaturation temperature in comparison to collagen from other fish species [18]. Although there are some papers regarding the properties of collagen from Silver Carp, to our best knowledge, the influence of UV irradiation on the rheological properties of such kinds of collagen has not been studied yet. Rheological properties of collagen are essential in several applications. In the case of cosmetic and food applications, its rheological behavior at different temperature values is essential to design a proper formulation and check its applicability under several conditions. Based on rheological study, one can design a product with properties which can be tailored to the desired use—for example, for tissue engineering purposes. Collagen gels can be used for studying cell–matrix mechanical interactions as well as developing tissue equivalents, the rheological properties of which are very important [19]. UV irradiation can be used as a sterilizing agent for several biomaterials, so it is very important to study the influence of UV light on collagen gels. The rheological behavior of several collagen solutions depends on the collagen concentration and temperature [20–22].

The concentrated solutions of synthetic and natural polymers are characterized by complex viscoelastic properties. Almost all these fluids show non-Newtonian behavior. For them, apparent

shear viscosity (η_a) changes with shear rate ($\dot{\gamma}$). If the apparent shear viscosity decreases with an increase in the shear rate, the fluid is shear-thinning, i.e., exhibits pseudo-plastic behavior—typical of many polymers [23–25]. The opposite trend, which occurs rarely, is named shear thickening (dilatant fluid). The shear stress curve obtained as a function of shear rate (so-called flow curve) at various temperature values allows calculation of the rheological parameters from different equations (e.g., Ostwald de Waele model, Cross model, Carreau model, and others) and recognition of the type of polymer flow behavior [24–26]. The knowledge of rheological properties of polymer solutions or fluids allows us to evaluate their final properties and enables the arrangement and optimization of the processing conditions.

The aim of this work was to study the rheological behavior of collagen obtained from Silver Carp skin before and after different times of UV irradiation. Knowledge about the rheological behavior of UV-treated collagen can be essential in the preparation of cosmetics and food products based on collagen from Silver Carp skin. Moreover, the possibility of sterilization of collagen gels

for biomedical applications using UV treatment can be predicted. The UV-irradiated collagen gels can be further used for the preparation of wound healing materials.

2. Materials and Methods

2.1. Raw Materials and Collagen Preparation

Collagen was purchased from WellU sp. z.o.o, Gdynia, Poland. It was obtained by collagen isolation from Silver Carp skin. The skin fragments were removed manually and washed with chilled tap water to get rid of the adhering tissues. In the next stage, the material was disinfected with 3% hydrogen peroxide water solution, residues of which were further rinsed off. The purified skin was placed in a lactic acid solution and left for 3 days to extract the collagenous proteins. The thus obtained solution was pressed through the material, which allowed for collagen separation. The samples were then placed in polyethylene bags and stored at 25 °C until use.

The collagen solution was dialyzed against distilled water for 2 days and then lyophilized. After lyophilization, collagen gels were prepared in diluted 0.1 M acetic acid at the concentrations of 5 and 10 mg/mL. For prepared collagen gels, the rheological properties were measured. In the next step, collagen solutions were irradiated with UV light for different time intervals and again the rheological properties were measured.

2.2. Measurement of Rheological Properties

For the study of rheological properties, the solutions of collagen at the concentrations of 5 and 10 mg/mL were prepared. A rheological investigation was carried out on the prepared samples by means of a rotational viscometer, Bohlin Visco 88 (Malvern Panalytical, Malvern, UK), equipped with a heating system and a solvent trap kit. Steady-state viscosity curves were evaluated at different temperature values, i.e., 15–33 °C (samples were thermally equilibrated for 300 s), at a shear rate 19–250 s⁻¹ range using a concentric cylinder. In order to evaluate the time dependence of the apparent shear viscosity, i.e., to observe whether thixotropy takes place, the flow measurements were performed in two steps: at increasing shear rates (from the minimum to the maximum shear rate value—upward curve) and their return to the maximum value at decreasing shear rates (downward curve). Additionally, the time-dependent viscosity for the collagen solution at two different, constant, and imposed shear rates, i.e., 90 and 250 s⁻¹ at 16.5 and 25 °C, were determined.

Rheological behavior of the collagen solutions was analyzed with the well-known Ostwald de Waele model (Equation (1)) and Cross equation (Equation (2)) to determine the relationship between the apparent shear viscosity and the shear rate [24–26].

Ostwald de Waele model:

$$\tau = k \dot{\gamma}^n \text{ and } \eta = \frac{\tau}{\dot{\gamma}} = k \dot{\gamma}^{n-1} \quad (1)$$

where τ is shear stress (Pa), $\dot{\gamma}$ is shear rate (1/s), η is shear viscosity (Pa s), n and k are rheological parameters known as non-Newtonian index (dimensionless) and consistency index (Pa s ^{n}), respectively. The value of $n < 1$ indicates the shear-thinning effect, and the value of $n > 1$ implies the shear-thickening behavior. If n is unity ($n = 1$), then k is identical to η and Equation (1) takes the form of Newton's law.

Cross model:

$$\eta = \frac{\eta_0}{1 + \frac{\dot{\gamma}^m}{\tau_0}} \quad (2)$$

where η_0 and τ_0 are zero-shear viscosity and infinite viscosity (Pa s), respectively, τ_0 is the characteristic relaxation time (s), and m is a dimensionless constant corresponding to the fluid.

The temperature dependence of the apparent shear viscosity (η_a) was determined with the Arrhenius equation [25,27]:

$$\eta_a = A_0 \exp(E_a/RT) \quad (3)$$

where A_0 is a pre-exponential parameter and E_a is the viscous flow activation energy.

2.3. UV Irradiation of Collagen Solution

Collagen solutions (the concentrations of 5 and 10 mg/mL) were irradiated using a UV lamp, ULTRAVIOL NBV 15, which emitted mainly UVC with 254 nm wavelength. Collagen solutions were irradiated at a distance of 5 cm from the UV lamp.

3. Results

3. Results

3. Results

3.1. Rheological Behaviour of Collagen Solutions and Gels

3.1. Rheological Behaviour of Collagen Solutions and Gels

3.1. Rheological Behaviour of Collagen Solutions and Gels

Figure 1 reports the viscosity curves of collagen solutions with concentrations of 5 and 10 mg/mL. Figure 1 reports the viscosity curves of collagen solutions with concentrations of 5 and 10 mg/mL. Figure 1 reports the viscosity curves of collagen solutions with concentrations of 5 and 10 mg/mL (collagen gel).




Figure 1. Viscosity curves of the collagen solutions: (A) 10mg/mL, (B) 5 mg/mL in temperature range

Figure 1. Viscosity curves of the collagen solutions: (A) 10 mg/mL, (B) 5 mg/mL in temperature range

Figure 15 to 33 °C. Viscosity curves of the collagen solutions: (A) 10mg/mL, (B) 5 mg/mL in temperature range 15 to 33 °C.

15 to 33 °C.

A collagen solution is characterized by the typical shear-thinning behavior of polymer solutions.

A collagen solution is characterized by the typical shear-thinning behavior of polymer solutions observed. A collagen solution in the solution decreases in characterized viscosity as by the typical rate shear increases - thinning due to behavior the progressive of polymer orientation in solutions observed in the decrease in viscosity as the shear rate increases due to the progressive orientation observed and disentanglement in the decrease of the chains viscosity. The apparent viscosity rate increases of the collagen due to the progressive is heightened orientation with and disentanglement of the chains. The apparent viscosity of the collagen solution is heightened with and decreases in disentanglement concentration of the.

Which is the concentration apparent viscosity of the of collagen the collagen solution increases, heightened the viscosity with increasing concentrations. While the concentration of the collagen solution increases, the viscosity increasing curves pre concentrations are more pronounced. While the shear concentration - thinning behavior of the collagen this is caused solution by an increase, the collagen viscosity curves present a more pronounced shear - thinning behavior. This is caused by an increase in collagen curves macromolecule present more interactions, leading shear to - e increase behavior in the.

This entanglement is caused by of an increase in chains of collagen more n macromolecule pronounced interactions, non interactions, -

Newtonian leading behavior to the to. increase the time increase -

depth dependent entanglement in the apparent entanglement of viscosity the chains of fat the and chain more n

stand pronounced shear more non-pronounced Newtonian rate value is non-behavior another

Newtonian important. The behavior time character-dependent. The characteristic time of apparent-the dependent non-

Newtonian viscosity apparent at the viscosity the a constant of a polymer the shear constant solutions are shear

value is

another rate^[24] value important. Some is of another the cause are a characteristic time of characteristic the^u

non-stable-Newtonian fluids of the non-behavior

Newtonian of polymer behavior^{classified} solutions of polymer^{thixotropic} [24 solution]. Some of

of fluids them. For a thixotropic rheologically unstable viscosity decreases in solutions time, while are the classified as thixotropic and rheopectic fluids. Such solutions are classified as thixotropic and rheopectic fluids.

increases. Figure 2 shows the apparent viscosity and lapsed time relationship for a 5 mg/mL collagen solution at different, constant, and imposed shear rates. As can be seen, the constant and uniform viscosity value is observed as rheologically stable.

shows the apparent viscosity and lapsed time relationship for a 5 mg/mL collagen solution at different, viscosity value is observed in the time of the experiment (131 s). Thus, this collagen can be considered as rheologically stable.

constant, and imposed shear rates. As can be seen, the constant and uniform viscosity value is observed as rheologically stable.




Figure 2. Time-dependent viscosity for 5 mg/mL collagen solution at two different and constant shear rates

Figure 2. Time-dependent viscosity for 5 mg/mL collagen solution at two different and constant shear rates, (A) 16.5 °C, (B) 25.2 °C.

3.2. The Ostwald de Waele and Cross Models

The experimental data of the collagen solutions used in this study were fitted with the Ostwald de Waele model (Equation (1)) and Cross model (Equation (2)), with R^2 values ranging from 0.963 to 0.999 and from 0.994 to 1.00, respectively. The corresponding rheological parameters and regression coefficients (R^2) are presented in Table 1. Noteworthy is the fact that all the n values from the Ostwald de Waele model were less than 1, indicating deviation from Newtonian behavior (shear-thinning behavior). An increase in the collagen solution concentration to 10 mg/mL causes a pronounced decrease in the n value from 0.39 to 0.26 at 18 °C. Such low n values may suggest the high association degree and collagen molecule entanglement in the solution. For all the collagen solutions, the temperature rise by 15 °C only slightly influences the n parameter (e.g., n increases from 0.39 to 0.43 in the collagen solution at the concentration of 5 mg/mL). The consistency index (k) values increase with an increase in the collagen solution concentration but insignificantly decrease as the temperature increases from 15 to 25 °C. As shown in Equation (1), the k parameter value presents a direct relationship with viscosity; it can be used to represent the viscosity characteristics of fluids under certain conditions. Therefore, the k results are as expected because the temperature will normally lower the viscosity of fluids. However, viscosity will increase together with a rise in concentration.

Table 1. The rheological parameters from the Ostwald de Waele model and Cross model for collagen solution as function of concentration and temperature.

T(°C)	Ostwald de Waele Model			Cross Model				
	n	k (Pas ^{n})	R^2	η_0 (Pas)	η_1 (Pas)	$(s)_{\infty}$	m	R^2
collagen c = 5 mg/mL								
15	0.39	3.18	0.999	0.673	0.0443	0.0185	1.13	0.999
18	0.39	3.00	0.999	0.657	0.0420	0.0225	1.09	0.999
20	0.39	2.88	0.999	0.582	0.0446	0.0148	1.15	0.999
25	0.41	2.52	0.999	0.538	0.0410	0.0175	1.12	0.998
30	0.43	1.76	0.999	0.362	0.0382	0.00980	1.21	0.998
31	0.48	0.87	0.999	0.184	0.0331	0.00292	1.43	0.997
collagen c = 10 mg/mL								
16	0.25	19.1	0.998	3.079	0.126	0.0225	1.18	0.998
18	0.26	17.5	0.998	3.272	0.286	0.761	0.38	1.00
20	0.27	16.5	0.999	2.742	0.263	0.0101	1.41	0.998
25	0.26	16.3	0.999	2.867	0.101	0.0286	1.13	0.998
30	0.22	7.45	0.963	0.629	0.070	7.69	1.80	0.994

Moreover, both η_0 and η_1 values increase simultaneously with the collagen concentration. The η_0 value is directly related to the number of interactions between the polymer macromolecules and the solvent [28,29]. Thus, the increase in the η_0 values together with an increase in the collagen solution concentration confirm that the development of a temporary network or the number of entanglements of collagen molecules in the solution increased. With the increased temperature, the η_0 values decreased, especially at temperatures ranging from 25 to 31 °C. This can be explained by the increase in the molecules' mobility and the interactions between those which were partly destroyed.

3.3. The Effect of Temperature and the Viscous Flow Activation Energy

The effect of temperature on the apparent viscosity of collagen solutions was investigated. It can be observed that temperature showed a weak effect on the apparent viscosity, which decreased slightly with an increasing temperature range from 15 to 28 °C, as it has been shown in Figure 3. The increase in temperature from 30 to 32 °C caused a large reduction of the apparent viscosity value. Thus, the results show that collagen molecules are fully denatured at 32 °C.

As can be observed, the values of viscous flow activation energy decrease with an increasing shear rate and collagen concentration. This behavior can be explained by the entanglement formation in the polymer solution. At a higher shear rate ($\geq 90.9 \text{ s}^{-1}$), the entanglement density between collagen molecules was independent of shear rate. The E_a value is practically constant in this range.

Moreover,

Materials 2020, 13, 4453

6 of

10

the calculated E_a values indicated that the collagen solution exhibited the low sensitivity of viscosity to temperature changes in the range of 15–28 °C.




Figure 3. Apparent shear viscosity versus temperature for 10 mg/mL collagen solution at three different shear rates.

The value of the viscous flow activation energy for collagen solution reflects at different shear rates.

The value of the viscous flow activation energy for collagen solution reflects at different shear rates. of polymer solutions

towards temperature. For the collagen solution, E_a values were determined using Equation (3) at

different shear rates (in the temperature range between 15 and 28 °C) and are tabulated in Table 2.

E_a (kJ/mol)	
0 s	R
43.3 s	R
90.9 s	R
110 s	R

As can be observed, the values of viscous flow activation energy decrease with an increasing shear

17.1	0.914	13.9	0.975	11.4	0.975	10.9	0.979
------	-------	------	-------	------	-------	------	-------

rate and collagen concentration. This behavior can be explained by the entanglement formation in the polymer solution. At a higher shear rate ($\geq 90.9 \text{ s}^{-1}$), the entanglement density between collagen molecules was independent of shear rate. The E_a value is practically constant in this range. Moreover,

3.4. The Effect of UV Irradiation on the Collagen Solution

the calculated E_a values indicated that the collagen solution exhibited the low sensitivity of viscosity to temperature changes in the range of 15–28 °C.

Figure 4 shows viscosity curves for the collagen solution before and after various times of UV

irradiation. It can be seen that after a short time of U irradiation, an increase in viscosity is observed.

Table 2. E value for collagen solution at di erent shear rates.

After 15 min of UV irradiation viscosity increased almost three times. This may suggest that UV irradiation causes the crosslinking of collagen molecules. In general, after absorbing a photon, the

		E_a (kJ/mol)							

Figure 4. Viscosity curves of the collagen solutions: (A) 10 mg/mL, (B) 5 mg/mL at 20 °C before and

Figure 4. Viscosity curves of the collagen solutions: (A) 10 mg/mL, (B) 5 mg/mL at 20 °C before and after various times of UV irradiation.

Table 3 presents the alteration of a rheological parameter after UV irradiation of the collagen solution. The table presents values of η and η' after UV irradiation, and the values of η and η' after UV irradiation are similar to the values of η and η' before UV irradiation.

UV irradiation irradiation to those of the before collagen UV

solute treatment. The values exhibited of η and η' remained obvious decrease at similarly from 0.27 level to 0.13 after with UV increasing irradiation temperature to those before. Moreover, UV

treatment the values of η and η' and of

exhibit for the collagen an obvious decrease increased from 0.27 to 0.13 Pas. 13 before with increasing irradiation temperature to 20.04 Pas.

Moreover, implying the formation values of η of 0 for a polymer the collagen network solution under the influence of a short time of 0.742 Pas before time of irradiation exposure to

20 UV. 0.04 treatment Pas, implying the formation of a polymer network under the influence of a short time of exposure to UV treatment.

Table 3. The rheological parameters from Ostwald de Waele model and Cross model for collagen solution after 15 min of UV irradiation versus temperature.

Table 3. The rheological parameters from Ostwald de Waele model and Cross model for collagen solution after 15 min of UV irradiation versus temperature.

T (°C)	Ostwald de Waele Model			Cross Model				
	n	k (Pas n)	R ²	η_0 (Pas)	η_1 (Pas)	λ (s)	m	R ²
20	0.27	58.5	0.998	22.04	0.060	0.2205	0.84	1.00
20	0.27	58.5	0.998	22.04	0.0605	0.2205	0.84	1.00
25	0.23	61.0	0.997	17.17	0.208	0.1031	0.99	0.999
25	0.23	61.0	0.997	17.17	0.2083	0.1031	0.99	0.999
30	0.13	4.79	0.835	0.358	0.031	1.38 × 10 ³	1.78	0.991
30	0.13	4.79	0.835	0.358	0.0313	1.38 × 10 ³	1.78	0.991

In Figure 5, one can see the influence of UV irradiation on the apparent shear viscosity of the collagen solution. As one can see, the rise in temperature from 25 to 29 °C caused a large decrease in the collagen solution. As one can see, the rise in temperature from 25 to 29 °C caused a large decrease in apparent viscosity. Therefore, the denaturation temperature decreased after 15 min of UV irradiation the apparent viscosity. Therefore, the denaturation temperature decreased after 15 min of UV of the collagen solution. The UV-irradiated collagen molecules are fully denatured at 30 °C, whereas irradiation of the collagen solution. The UV-irradiated collagen molecules are fully denatured at 30

for collagen molecules which had not been treated with UV light, the molecules are fully denatured at °C, whereas for collagen molecules which had not been treated with UV light, the molecules are fully 32 C. This suggests that UV irradiation leads to partial cleavage of hydrogen bonds responsible for denatured at 32 °C. This suggests that UV irradiation leads to partial cleavage of hydrogen bonds the ternary structure of collagen.
responsible for the ternary structure of collagen.

Table 4 shows that the activation energy was changed in the viscous flow of the collagen solution after 15 min of UV irradiation. For the collagen solution before exposure to UV irradiation, E_a values are significantly lower (Table 2) than after UV irradiation (Table 4). Moreover, the values of viscous flow activation energy increase with an increasing shear rate in the range between 43.3 and 110 s⁻¹. This fact may suggest that photocrosslinking reactions occur in the collagen solution and new crosslinks are responsible for the E_a increase. After photocrosslinking reactions, stronger intermolecular interactions between collagen molecules appear and they are responsible for the activation energy increase with an increasing shear rate. Thus, the collagen solution after 15 min of UV irradiation was more sensitive to temperature changes and the apparent viscosity decreased more. However, it should be emphasized that structural changes in collagen caused by UV irradiation depend on collagen type, its degree of

In Figure 5, one can see the influence of UV irradiation on the apparent shear viscosity of the collagen solution. As one can see, the rise in temperature from 25 to 29 °C caused a large decrease in the apparent viscosity. Therefore, the denaturation temperature decreased after 15 min of UV irradiation of the collagen solution. The UV-irradiated collagen molecules are fully denatured at 30 °C, whereas for collagen molecules which had not been treated with UV light, the molecules are fully hydration, and pH conditions [30–32]. The results obtained in this study for collagen from Silver Carp denatured at 32 °C. This suggests that UV irradiation leads to partial cleavage of hydrogen bonds skin may differ from results obtained for other types of collagen extracted from different sources. responsible for the ternary structure of collagen.




Figure 5. Apparent shear viscosity versus temperature for 10 mg/mL collagen solution at three different shear rates after 15 min of UV irradiation.

Table 4. E_a value for collagen solution at different shear rates after 15 min of UV irradiation.

		E _a (kJ/mol)						
c (mg/mL)	0 s ⁻¹		43.3 s ⁻¹		90.9 s ⁻¹		110 s ⁻¹	
		R ²		R ²		R ²		R ²
10	49.8	0.764	41.5	0.801	49.1	0.836	54.2	0.859

4. Conclusions

The results showed that the solution of collagen extracted from the Silver Carp fish skin used in this study is a rheologically stable fluid in which the rheological properties do not change over time. The rise in temperature from 30 to 32 °C caused a large reduction of the apparent viscosity value showing that collagen molecules are fully denatured at 32 °C. UV-treatment of collagen solution leads to the increase of the viscosity in the beginning, but after prolonged UV-treatment a large reduction of the apparent viscosity value was observed showing that collagen molecules are fully denatured after one hour of UV treatment. After 15 min of UV-irradiation of collagen solution the collagen molecules underwent thermal denaturation at 30 °C.

Collagen extracted from the Silver Carp fish skin is sensitive to UV-irradiation and may undergo physical crosslinking and/or photodegradation. The short time of UV-irradiation may lead to crosslinking of collagen molecules. Collagen extracted from the Silver Carp skin can be used in cosmetics and food, however, the products should be stored in a temperature lower than

denaturation temperature of collagen. Sterilization of collagen gels with UV light can be done only for a very short time, as prolonged UV treatment leads to photochemical destruction of the collagen molecule.

Author Contributions: Conceptualization, A.S.; K.L. and K.A.; software, A.S.; K.L. and K.A.; resources, A.S.; K.L. and K.A.; formal analysis, A.S.; and K.L.; investigation A.S.; K.L. and K.A.; data curation, A.S.; K.L. and K.A.; writing—original draft preparation, A.S.; K.L. and K.A.; writing—review and editing, A.S.; supervision, A.S.; All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Miyata, T.; Sohde, T.; Rubin, A.L.; Stenzel, K.H. Effects of ultraviolet irradiation on native and telopeptide-poor collagen. *Biochim. Biophys. Acta* **1971**, *229*, 672–680. [[CrossRef](#)]
2. Hyashi, T.; Curran-Patel, S.; Prockop, D.J. Thermal stability of the triple helix of type I procollagen and collagen. Precautions for minimizing ultraviolet damage to proteins during circular dichroism studies. *Biochemistry* **1979**, *18*, 4182–4187. [[CrossRef](#)]
3. Fujimori, E. Changes induced by ozone and ultraviolet light in type I collagen. Bovine Achilles tendon collagen versus rat tail tendon collagen. *Eur. J. Biochem.* **1985**, *152*, 299–306. [[CrossRef](#)]
4. Kaminska, A.; Sionkowska, A. The effect of UV radiation on the thermal parameters of collagen degradation. *Polym. Degrad. Stab.* **1996**, *51*, 15–18. [[CrossRef](#)]
5. Sionkowska, A.; Kaminska, A. Thermal helix-coil transition in UV irradiated collagen from rat tail tendon. *Int. J. Biol. Macromol.* **1999**, *24*, 337–340. [[CrossRef](#)]
6. Miles, C.A.; Sionkowska, A.; Hulin, S.L.; Sims, T.J.; Avery, N.C.; Bailey, A.J. Identification of an intermediate state in the helix-coil degradation of collagen by ultraviolet light. *J. Biol. Chem.* **2000**, *275*, 33014–33020. [[CrossRef](#)] [[PubMed](#)]
7. Jariashvili, K.; Madhan, B.; Brodsky, B.; Kuchava, A.; Namicheishvili, L.; Metreveli, N. UV-damage of collagen: Insights from model collagen peptides. *Biopolymers* **2012**, *7*, 189–198. [[CrossRef](#)] [[PubMed](#)]
8. Sionkowska, A.; Wess, T.J. Mechanical properties of UV irradiated rat tail tendon (RTT) collagen. *Int. J. Biol. Macromol.* **2004**, *34*, 9–12. [[CrossRef](#)]
9. Vizarova, K.; Bakos, D.; Rehakova, M.; Macho, V. Modification of layered atelocollagen by ultraviolet irradiation and chemical cross-linking: Structure stability and mechanical properties. *Biomaterials* **1994**, *15*, 1082–1086. [[CrossRef](#)]
10. Sionkowska, A. Modification of collagen films by ultraviolet irradiation. *Polym. Degrad. Stab.* **2020**, *68*, 147–151. [[CrossRef](#)]
11. Sionkowska, A. Flash photolysis and pulse radiolysis studies on collagen Type I in acetic acid solution. *J. Photochem. Photobiol. B Biol.* **2006**, *84*, 38–45. [[CrossRef](#)] [[PubMed](#)]
12. Sionkowska, A. Current research on the blends of natural and synthetic polymers: Review. *Prog. Polym. Sci.* **2011**, *36*, 1254–1276. [[CrossRef](#)]
13. Bailey, A.J.; Paul, R.G. Collagen—Is not so simple protein. *J. Soc. Leather Technol. Chem.* **1998**, *82*, 104–108.
14. Orgel, J.P.; Miller, A.; Irving, T.C.; Fischetti, R.F.; Hammersley, A.P.; Wess, T.J. The in situ supermolecular structure of type I collagen. *Structure* **2001**, *9*, 1061–1069. [[CrossRef](#)]
15. Bella, J. A new method for describing the helical conformation of collagen: Dependence of the triple helical twist on amino acid sequence. *J. Struct. Biol.* **2010**, *170*, 377–391. [[CrossRef](#)] [[PubMed](#)]
16. Sionkowska, A.; Skrzynski, S.; Smiechowski, K.; Kołodziejczak, A. The review of versatile application of collagen. *Poly. Adv. Technol.* **2017**, *28*, 4–9. [[CrossRef](#)]
17. Jaipan, P.; Nguyen, A.; Narayan, R.J. Gelatin-based hydrogels for biomedical applications. *MRS Commun.*

- 2017**, 7, 416–426. [[CrossRef](#)]
18. Zhang, J.; Duan, R.; Tian, Y.; Konno, K. Characterisation of acid-soluble collagen from skin of silver carp (*Hypophthalmichthys molitrix*). *Food Chem.* **2009**, 116, 318–322. [[CrossRef](#)]
 19. Knapp, V.D.M.; Barocas, V.H.; Moon, A.G.; Tranquillo, R.T. Rheology of reconstituted type I collagen gel in confined compression. *J. Rheol.* **1997**, 415. [[CrossRef](#)]
 20. Lai, G.; Li, Y.; Li, G. Effect of concentration and temperature on the rheological behavior of collagen solution. *Int. J. Biol. Macromol.* **2008**, 42, 285–291. [[CrossRef](#)]
 21. Yang, Q.; Guo, C.; Deng, F.; Ding, C.; Yang, C.; Wu, H.; Ni, Y.; Huang, L.; Chen, L.; Zhang, M. Fabrication of highly concentrated collagens using cooled urea/HAc as novel binary solvent. *J. Mol. Liq.* **2019**, 291, 1–10. [[CrossRef](#)]
 22. Yang, H.; Duan, L.; Li, Q.; Tian, Z.; Li, G. Experimental and modeling investigation on the rheological behavior of collagen solution as a function of acetic acid concentration. *J. Mech. Behav. Biomed. Mater.* **2018**, 77, 125–134. [[CrossRef](#)] [[PubMed](#)]
 23. Ghannam, M.T.; Esmail, M.N. Rheological properties of carboxymethyl cellulose. *J. Appl. Polym. Sci.* **1997**, 64, 289–301. [[CrossRef](#)]
 24. Lewandowska, K. Comparative studies of rheological properties of polyacrylamide and partially hydrolyzed polyacrylamide solutions. *J. Appl. Polym. Sci.* **2007**, 103, 2235–2241. [[CrossRef](#)]
 25. Wang, S.; Le, H.; Guo, J.; Zhao, J.; Tang, H. Intrinsic viscosity and rheological properties of natural and substituted guar gums in seawater. *Int. J. Biol. Macromol.* **2015**, 76, 262–268. [[CrossRef](#)] [[PubMed](#)]
 26. Tian, Z.; Duan, L.; Wu, L.; Shen, L.; Li, G. Rheological properties of glutaraldehyde-crosslinked collagen solutions analyzed quantitatively using mechanical models. *Mater. Sci. Eng. C* **2016**, 63, 10–17. [[CrossRef](#)] [[PubMed](#)]
 27. Martuscelli, E. Melt rheology of a compatible blend: Poly (ethylene oxide)/poly (methyl methacrylate). *Die Makromol. Chem. Rapid Commun.* **1984**, 5, 255–261. [[CrossRef](#)]
 28. Razavi, S.M.; Cui, S.W.; Ding, H. Structural and physicochemical characteristics of a novel water-soluble gum from *Lallemantia royleana* seed. *Int. J. Biol. Macromol.* **2016**, 83, 142–151. [[CrossRef](#)]
 29. Bertolo, M.R.V.; Martins, V.C.A.; Horn, M.M.; Brenelli, L.B.; Plepis, A.M.G. Rheological and antioxidant properties of chitosan/gelatin-based materials functionalized by pomegranate peel extract. *Carbohydr. Polym.* **2020**, 228, 115386. [[CrossRef](#)]
 30. Xing, J.Y.; Bai, B.; Xue, W.B.; Yang, M.Y. Effect of UV on stability of collagen with consideration of hydration and fibrillogenesis. *Food Sci. Biotechnol.* **2013**, 22, 1–5. [[CrossRef](#)]
 31. Mori, H.; Hara, M. UV irradiation of type I collagen gels changed the morphology of the interconnected brain capillary endothelial cells on them. *Mater. Sci. Eng. C* **2020**, 112, 110907. [[CrossRef](#)] [[PubMed](#)]
 32. Zheng, X.J.; Pei, Y.; Liu, J.; Wang, K.; Tang, K.Y. Effect of UV irradiation on the properties of goatskin collagen matrices. *J. Soc. Leather Technol. Chem.* **2017**, 101, 66–71.